Merchants' Exchange Block (Eagle Furniture Building)
94-102 North Main Street
Concord
Merrimack County
New Hampshire

HABS No. NH-207

HABS NH, 7. CON,

# PHOTOGRAPHS

WRITTEN HISTORICAL AND DESCRIPTIVE DATA

REDUCED COPY OF MEASURED DRAWING

HISTORIC AMERICAN BUILDINGS SURVEY
MID-ATLANTIC REGION NATIONAL PARK SERVICE
DEPARTMENT OF THE INTERIOR
PHILADELPHIA, PENNSYLVANIA 19106

"ited States Department of the Interior Service Washington, D.C. 20243

NATIONAL ARCHITECTURAL AND ENGINEERING RECORD HISTORIC AMERICAN BUILDINGS SURVEY HABS

ARCHITECTURAL DATA FORM

HABS NH, 7-CON,

STATE	COUNTY	TOWN OR VIC	INITY
New Hampshire	Merrimack	Concord	
HISTORIC NAME OF STRUCTUR	E (INCLUDE SOURCE FOR NAM	E)	HABS NO.
Merchants' Exchange B	lock (period views, ma	ps)	· NH-207
SECONDARY OR COMMON NAMES	OF STRUCTURE		
Eagle Furniture Build	ling		
COMPLETE ADDRESS (DESCRIB	E LOCATION FOR RURAL SITE	\$)	
	eet, Concord, New Hamp	shire 03301	
DATE OF CONSTRUCTION (INC	LUDE SOURCE) ARCHITECT	S) (INCLUDE SOURCE)	
c. 1850 (inspection,	period maps) Unknown		
SIGNIFICANCE (ARCHITECTUR	AL AND HISTORICAL, INCLUD	E ORIGINAL USE OF S	TRUCTURE
Block is représentati	altered through the ye ve of the first genera ty of Concord. The st	tion of major com	mercial
•			
STYLE (IF APPROPRIATE) Greek Revival (altere	:d)		
STYLE (IF APPROPRIATE) Greek Revival (altere	ed) (INCLUDE STRUCTURAL SYSTE	MS)	
STYLE (IF APPROPRIATE) Greek Revival (altere MATERIAL OF CONSTRUCTION	·	•	Building's (con
STYLE (IF APPROPRIATE) Greek Revival (altere MATERIAL OF CONSTRUCTION Load bearing masonry SHAPE AND DIMENSIONS OF S	(INCLUDE STRUCTURAL SYSTE (brick) with interior TRUCTURE (SKETCHED FLOOR	wooden framing. PLANS DN SEPARATE P	
STYLE (IF APPROPRIATE) Greek Revival (altere MATERIAL OF CONSTRUCTION Load bearing masonry SHAPE AND DIMENSIONS OF S	(INCLUDE STRUCTURAL SYSTE (brick) with interior	wooden framing. PLANS DN SEPARATE P	
STYLE (IF APPROPRIATE) Greek Revival (altere MATERIAL OF CONSTRUCTION Load bearing masonry SHAPE AND DIMENSIONS OF S Twelve bay rectangle EXTERICR FEATURES OF NOTE	(INCLUDE STRUCTURAL SYSTE (brick) with interior TRUCTURE (SKETCHED FLOOR lacking rear (SE) corn	wooden framing.  PLANS DN SEPARATE P.  er. (cont.)	AGES ARE ACCEPTAE
STYLE (IF APPROPRIATE) Greek Revival (altere MATERIAL OF CONSTRUCTION Load bearing masonry SHAPE AND DIMENSIONS OF S Twelve bay rectangle EXTERICR FEATURES OF NOTE Principal facade (W) plain lime mortar. F	(INCLUDE STRUCTURAL SYSTE (brick) with interior TRUCTURE (SKETCHED FLOOR lacking rear (SE) corn	wooden framing.  PLANS DN SEPARATE P er. (cont.)  ick laid in Ameri lled brick entabl	can bond with
STYLE (IF APPROPRIATE) Greek Revival (altere MATERIAL OF CONSTRUCTION  Load bearing masonry SHAPE AND DIMENSIONS OF S Twelve bay rectangle EXTERICR FEATURES OF NOTE Principal facade (W) plain lime mortar. F projecting, granite c	(INCLUDE STRUCTURAL SYSTE (brick) with interior TRUCTURE (SKETCHED FLOOR lacking rear (SE) corn is faced in pressed bracade includes a corbe	wooden framing.  PLANS DN SEPARATE P er. (cont.)  ick laid in Ameri lled brick entabl aggered brick den	can bond with ature with
STYLE (IF APPROPRIATE) Greek Revival (altere MATERIAL OF CONSTRUCTION  Load bearing masonry  SHAPE AND DIMENSIONS OF S  Twelve bay rectangle  EXTERIOR FEATURES OF NOTE Principal facade (W) plain lime mortar. F projecting, granite c  INTERIOR FEATURES OF NOTE  First story of the st access to these units	(INCLUDE STRUCTURAL SYSTE (brick) with interior TRUCTURE (SKETCHED FLOOR lacking rear (SE) corn is faced in pressed bracade includes a corbe cornice supported by st	wooden framing.  PLANS DN SEPARATE P er. (cont.)  ick laid in Ameri lled brick entabl aggered brick den  F NOT SKETCHED) o three retail un ividual storefron	can bond with ature with tils. (cont.)
STYLE (IF APPROPRIATE) Greek Revival (altere MATERIAL OF CONSTRUCTION  Load bearing masonry  SHAPE AND DIMENSIONS OF S  Twelve bay rectangle  EXTERIOR FEATURES OF NOTE Principal facade (W) plain lime mortar. F projecting, granite c  INTERIOR FEATURES OF NOTE  First story of the st access to these units	(INCLUDE STRUCTURAL SYSTE (brick) with interior TRUCTURE (SKETCHED FLOOR lacking rear (SE) corn is faced in pressed br acade includes a corbe cornice supported by st  (DESCRIBE FLOOR PLANS, I cructure is divided int is gained through ind cipal facade (W). Each	wooden framing.  PLANS DN SEPARATE P er. (cont.)  ick laid in Ameri lled brick entabl aggered brick den  F NOT SKETCHED) o three retail un ividual storefron	can bond with ature with tils. (cont.)
STYLE (IF APPROPRIATE) Greek Revival (altere MATERIAL OF CONSTRUCTION  Load bearing masonry  SHAPE AND DIMENSIONS OF S Twelve bay rectangle  EXTERIOR FEATURES OF NOTE Principal facade (W) plain lime mortar. F projecting, granite c  INTERIOR FEATURES OF NOTE  First story of the st access to these units the structure's princ  MAJOR ALTERATIONS AND ADD	(INCLUDE STRUCTURAL SYSTE (brick) with interior TRUCTURE (SKETCHED FLOOR lacking rear (SE) corn is faced in pressed br acade includes a corbe cornice supported by st  (DESCRIBE FLOOR PLANS, I cructure is divided int is gained through ind cipal facade (W). Each	wooden framing.  PLANS DN SEPARATE P er. (cont.)  ick laid in Ameri lled brick entabl aggered brick den  F NOT SKETCHED)  o three retail un ividual storefron unit occupies th	can bond with ature with tils. (cont.)  its. Principal ts located on e depth (cont.)
STYLE (IF APPROPRIATE) Greek Revival (altere MATERIAL OF CONSTRUCTION  Load bearing masonry  SHAPE AND DIMENSIONS OF S Twelve bay rectangle  EXTERIOR FEATURES OF NOTE Principal facade (W) plain lime mortar. F projecting, granite c  INTERIOR FEATURES OF NOTE  First story of the st access to these units the structure's princ  MAJOR ALTERATIONS AND ADD	(INCLUDE STRUCTURAL SYSTE (brick) with interior (lacking rear (SE) corn (is faced in pressed bricade includes a corbe (bricade includes a corbe (cornice supported by state) (DESCRIBE FLOOR PLANS, Interior is divided interior is gained through independent of the corp. (brical facade (W). Each (corrected the story - c. 1870 (pe	wooden framing.  PLANS DN SEPARATE P er. (cont.)  ick laid in Ameri lled brick entabl aggered brick den  F NOT SKETCHED)  o three retail un ividual storefron unit occupies th	can bond with ature with tils. (cont.)  its. Principal ts located on e depth (cont.)

Structure is included in the Eagle Square Redevelopment Project, a

Determination of Eligibility for the Eagle Square Historic District to be Listed in the National Register of Historic Places,

(cont.)

commercial redevelopment project centering around a public plaza (cont.)

SOURCES OF INFORMATION (INCLUDE LISTING ON NATIONAL REGISTER, STATE REGISTERS, ETC.)

COMPILER, AFFILIATION

Kathryn M. Kuranda

February 27, 1980.

DATE October 21, 1981

MERCHANTS' EXCHANGE BLOCK (Eagle Furniture Building) HABS No. NH-207 (Page 2)

#### ARCHITECTURAL DATA FORM

Continuation Sheet #1

Merchants' Exchange Block 94-102 N. Main St. Concord, NH

#### SIGNIFICANCE:

in the Eagle Square Historic District, an area determined eligible for inclusion in the National Register of Historic Places by the New Hampshire State Historic Preservation Officer. The Merchants' Exchange Block, which occupies a site facing the New Hampshire State Capital, has historically served a commercial use with multiple retail units traditionally located in the lower two stories and offices in the upper two stories.

### MATERIAL OF CONSTRUCTION:

shed roof is clad in asphalt shingles. Upper stories include granite sills, lintels and cornice. East elevation storefronts combine plate glass, aluminum, granite and cast iron.

### SHAPE AND DIMENSIONS OF STRUCTURE:

Overall dimensions: 83'-9'' X 106'-6''.

# EXTERIOR FEATURES OF NOTE:

Cut granite sills and lintels survive on the second, third and fourth stories of the principal facade (W) and on all stories of the north, east and south elevations. Evidence of early storefront design can be found in the southernmost retail unit, east elevation (The Thorne Shoe Co.), and includes cut granite and cast iron piers with transomed display windows.

## INTERIOR FEATURES OF NOTE:

of the first story in its respective bay. Eagle Furniture Co., located in the northernmost retail unit also includes upper story, rear (E) storage areas.

Principal access to the building's upper floors is gained through a recessed entry located in the center bay, west elevation. This bay includes evidence of a four story stairhall which originally rose the height of the building.

Second story offices are arranged around a series of three connecting center halls. (fig. 1) Evidence of original design can be found in surviving Greek Revival detailing in offices A, C and D. Office A includes original, Greek Revival windows with simple, feather planed surrounds and elliptical muntin profiles on the sash. Simple, Greek

MERCHANTS' EXCHANGE BLOCK (Eagle Furniture Building)
HABS No. NH-207 (Page 3)

#### ARCHITECTURAL DATA FORM

Continuation Sheet #2

Merchants' Exchange Block 94-102 N. Main St. Concord, NH

### INTERIOR FEATURES OF NOTE:

Revival door surrounds, similar to those of the windows, enframe the interior face of the room's principal door. Offices C and D contain more elaborate, pedimented window surrounds, also of Greek Revival derivation. The remaining offices of the second floor have been substantially altered over the years with contemporary trim and wall finishes.

The third story of the structure was last used as a radio station. Alterations to the floor plan and the addition of acoustical tile wall and ceiling finishes suggest this use. The plan of the floor is oriented to a center hall. Offices are located on the west side of the floor and studios to the east side.

The structure's fourth floor is unfinished. The space is roughly divided into three adjoining rooms. Typical finishes include simple board floors and exposed brick walls and ceiling members. Evidence of original chimney locations can be found on the north end wall. The south wall includes evidence of fire damage dating c. 1950 and the destruction of the south six bays of the third and fourth stories.

## MAJOR ALTERATIONS AND ADDITIONS WITH DATES:

Demolition of the 6 southernmost bays of the 3rd and 4th stories, west elevation following fire - c. 1950.

## OTHER INFORMATION AS APPROPRIATE:

with portions of the project underwritten by the Urban Development Action Grant (UDAG) from the U.S. Department of Housing and Urban Development (HUD) and a grant from the Land and Water Conservation Fund (LWCF) through the Department of the Interior.

## SOURCES OF INFORMATION:

Map of the Village of Concord, (Concord, NH: Rufus Merrill, 1851)

In the collection of the New Hampshire Historical Society, Concord.

Plan of Compact Portion of Concord, C. V. C. Corvis, Engineer,
March, 1862. In the collection of the New Hampshire Historical
Society, Concord.

Views of Concord, undated. In the collection of the New Hampshire Historical Society, Concord.

MERCHANTS' EXCHANGE BLOCK (Eagle Furniture Building) HABS No. NH-207 (Page 4)

# ARCHITECTURAL DATA FORM


Continuation Sheet #3


Merchants' Exchange Block 94-102 N. Main St. Concord, NH

# COMPILER, AFFILIATION:

Kathryn M. Kuranda
Office of:
Christopher W. Closs, mnrp
Community and Preservation Planning Consultant
4 Bicentennial Sq/3rd Flr
Concord, New Hampshire 03301

MERCHANTS' EXCHANGE BLOCK (Eagle Furniture Building) HABS No. NH-207 (Page 5)





# **DIMENSIONS:**

A - 21'-0" X 22'-4" B - 18'-4" x 33'-9" - 18'-4" X 24'-8" D - 18'-3" X 20'-6" E - 20'-4" X 18'-0" - 18'-4" X 14'-0" x 10'-2" G - 14'-9" H + 42'-0" X 68'-0"

FIGURE 1
MERCHANTS' EXCHANGE BLOCK
94-102 N. MAIN ST.
CONCORD, NH

2ND FLR PLAN / NOT TO SCALE OCTOBER 21, 1981